

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** **VACOFLUX® 48, -50, -50D, VACODUR® 49, -50, -S PLUS, - MAX**
- **Detailed descriptions:**
 - ® registered trademark of VACUUMSCHMELZE GmbH & Co. KG
- **Information sheet - no.:** IB30
- **Remarks for information sheet**

Our semi-finished and finished products constitute manufactured articles under the terms of the REACH Regulation (EC) No. 1907/2006.

Articles are not subject to any legal obligation concerning production and distribution of material safety data sheets. The detailed information usually shown in a safety data sheet will be provided in the form of an 'Information sheet for articles' for specific alloys.

However, we expressly point out that these information sheets for articles are voluntarily produced data sheets which are not governed by the requirements of the REACH regulation.
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** Not applicable
- **Application of the article:** semi-finished products and parts
- **1.3 Details of the supplier of the information sheet**
- **Manufacturer/Supplier:**

VACUUMSCHMELZE GmbH & Co.KG
Grüner Weg 37
D-63450 Hanau

datasheet@vacuumschmelze.com
- **Further information obtainable from:** Environmental Protection Department
- **1.4 Emergency telephone number:**

Tel. no.: (**49) 6181/38-0
Emergency tel. no.: via (**49) 6181/38-0

SECTION 2: Hazards identification

- **2.1 Classification (substance or mixture)**

Classification according to Regulation (EC) No 1272/2008 (CLP-Regulation):
Not applicable
For articles there is no obligation to classify acc. to CLP -Regulation.
- **2.2 Labelling according to Regulation (EC) No 1272/2008**

Labelling according to Regulation (EC) No 1272/2008 (CLP-Regulation):
Not applicable
- **Additional VAC information:**

In the case of dust-producing processing, we recommend observance of the following warnings :
- **Hazard statements**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.
Suspected of causing genetic defects.
May cause cancer.
May damage fertility.
May cause long lasting harmful effects to aquatic life.
- **Precautionary statements**

Avoid breathing dust/fume/gas/mist/vapours/spray.
Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
[In case of inadequate ventilation] wear respiratory protection.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Information sheet for articles

Printing date 15.06.2026

Version number 7

Revision: 15.06.2026

Trade name: VACOFLUX® 48, -50, -50D, VACODUR® 49, -50, -S PLUS, - MAX

(Contd. of page 1)

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable
- **vPvB:** Not applicable

SECTION 3: Composition/information on ingredients

• 3.2 Mixtures

- **Description:** Metal in compact form

• Components(composition):

The classifications given below reflect the classification of each pure substance respectively and are intended for information only

The legal classifications of the pure substances (harmonized classification according to substance list of the Annex VI of the CLP Regulation) got complemented, insofar as additional substance-specific information from accessible data sources (e.g. TRGS 905, toxicological studies) for health hazards and / or physical hazards are available.

* = possible injuries

CAS: 7440-48-4 EINECS: 231-158-0 Index number: 027-001-00-9 RTECS: GF 8750000	cobalt ⚠ Resp. Sens. 1, H334; Muta. 2, H341; Carc. 1B, H350; Repr. 1B, H360F; ⚠ Skin Sens. 1, H317; Aquatic Chronic 4, H413	< 50%
CAS: 7440-62-2 EINECS: 231-171-1 RTECS: YW 1355000	vanadium substance with a Community workplace exposure limit	<2.5%
CAS: 7440-02-0 EINECS: 231-111-4 Index number: 028-002-00-7	nickel ⚠ Carc. 2, H351; STOT RE 1, H372; ⚠ Skin Sens. 1, H317	< 0.4*%

• NON-hazardous Ingredients

CAS: 7439-89-6 EINECS: 231-096-4 RTECS: NO 4565500	iron (compact form)	rest%
--	---------------------	-------

• Additional information:

For the wording of the listed hazard phrases refer to section 16.

Additional information for Cobalt:

See also Chapter 11

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• After inhalation:

If metal vapours or dusts have been inhaled:
Get the affected person out in the fresh air and call a doctor.

• After skin contact:

Foreign bodies which have penetrated the skin must be removed and the wound cleaned thoroughly.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: Consult a doctor if the symptoms persist.

• 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

(Contd. on page 3)

Information sheet

for articles

Printing date 15.06.2026

Version number 7

Revision: 15.06.2026

Trade name: **VACOFLUX® 48, -50, -50D, VACODUR® 49, -50, -S PLUS, - MAX**

(Contd. of page 2)

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
Non-combustible.
Extinguishing agents must be adapted to the environment.
- **5.2 Special hazards arising from the substance or mixture**
Formation of toxic smoke / fumes (metal / metal oxides) is possible during heating or in case of fire. Do not inhale fumes.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

Accidental release of dusts and vapours which are damaging to health can be ruled out.

- **6.1 Personal precautions, protective equipment and emergency procedures**
No special measures required.
- **6.2 Environmental precautions:** No special measures required.
- **6.3 Methods and material for containment and cleaning up:** No special measures required.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
No safety precautions are necessary in the delivered form.
The appropriate industrial and environmental safety measures must be taken for processing steps which cause dust (see also section 8):
Prevent formation of dust.
Ensure good ventilation/exhaustion at the workplace.
Take note of emission threshold.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required
- **Further information about storage conditions:** Not applicable
- **Storage class:** Not applicable
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
For International Limit Values see Additional information below.

7440-48-4 cobalt

AGW (Germany)	20 g/m³ (E)
ERB (Germany)	2 µg/m³ (A) (AK/TK)

(Contd. on page 4)

Information sheet

for articles

Printing date 15.06.2026

Version number 7

Revision: 15.06.2026

Trade name: **VACOFLEX® 48, -50, -50D, VACODUR® 49, -50, -S PLUS, - MAX**

(Contd. of page 3)

7440-62-2 vanadium	
MAK (Germany)	Long-term value: 0.005E ppm einatembare Fraktion; als V; vgl. Abschnitt XII
7440-02-0 nickel	
AGW (Germany)	Long-term value: 0.006A; 0.030E* mg/m ³ 8(II); AGS, 24, Sh, Y, 10*, 31*
• DNELs	
7440-48-4 cobalt	
Inhalative	Long-term exposure - inhalation - local effects 0.04 mg/m ³ (Ind) 0.0063 mg/m ³ (Consumer)
• Ingredients with biological limit values:	
7440-62-2 vanadium	
BGW (Germany)	nicht festgelegt (Abschn. XIII.2) Untersuchungsmaterial: Urin Probennahmezeitpunkt: bei Langzeitexposition: am Schichtende nach mehreren vorangegangenen Schichten Parameter: Vanadium

- **Additional Occupational Exposure Limit Values for possible hazards during processing:**
Compliance with the general dust limit value(s) (lung penetrating and/or inhalable fraction) must be ensured.
The AGW for nickel is to be used only for nickel metal.
For thermal processes in the presence of atmospheric oxygen, oxidic nickel compounds must always be assumed and the ERB (TRGS 910) must be applied.

- **Additional information:**
 - The lists valid during the making were used as basis.
 - GESTIS International Limit Values:
<http://www.dguv.de/ifa/Gefahrstoffdatenbanken/GESTIS-Internationale-Grenzwerte-für-chemische-Substanzen-limit-values-for-chemical-agents/index.jsp>

• 8.2 Exposure controls

• Appropriate engineering controls

Provide suction with filtering for good airing and ventilation of the work area during processing steps which cause dust. Air return is only permitted in exceptional cases.
If industrial vacuum cleaners are used, these must have dust class H (DIN EN 60335-2-69).
Suitable breathing apparatus must be used during repair and maintenance work to suction systems, especially when changing filters (see personal safety equipment).

• Individual protection measures, such as personal protective equipment

• General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Do not eat, drink, smoke or sniff while working.

• Respiratory protection:



In the case of dust formation (limit value exceeded), breathing apparatus must be worn.
Time limits for wearing must be observed.

Breathing mask, apparatus with particle filter P2 or P3, for example:

- Full face mask (EN 136)
- Breathing mask (EN 149) FFP2 or FFP3
- 10 times the limit value (FFP2)
- 30 times the limit value (FFP3)
- Recommendation: P3

• Hand protection



Avoid repeated and prolonged contact with the skin, use protective gloves.

Preventive skin protection by use of skin-protecting agents is recommended.

(Contd. on page 5)

Trade name: **VACOFLUX® 48, -50, -50D, VACODUR® 49, -50, -S PLUS, - MAX**

(Contd. of page 4)

• Material of gloves

Experience has shown glove materials polychloroprene, nitrile caoutchouc, butyl caoutchouc, fluoride caoutchouc and polyvinylchloride to offer sufficient protection.

• Penetration time of glove material

-
-

• Eye/face protection



In the event of larger quantities of dust:
Wear protective glasses / EN 166, poss. with side protection.

• Limitation and supervision of exposure into the environment

The legal issue values and limitations are to be paid attention!

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical properties

• General Information

• Physical state

fest
Solid (compact shape)

• Colour:

Metallic

• Odour:

Odourless

• Melting point/Melting range (approx.):

1,450-1,500 °C

• pH

Not applicable

• Solubility

• water:

Insoluble.

• Vapour pressure:

Not determined

• Density and/or relative density

• Density (approx.) at 20 °C:

8.2 g/cm³

• Relative density

Not determined

• Particle characteristics

Not applicable

• 9.2 Other information

• Appearance:

• Form:

Semi-finished products/parts: e.g. strip, wire, parts and bars

• Important information on protection of health and environment, and on safety.

• Ignition temperature:

Not applicable

• Explosive properties:

Not applicable

• Information with regard to physical hazard classes

• Explosives

Void

• Flammable gases

Void

• Aerosols

Void

• Oxidising gases

Void

• Gases under pressure

Void

• Flammable liquids

Void

• Flammable solids

Void

• Self-reactive substances and mixtures

Void

• Pyrophoric liquids

Void

• Pyrophoric solids

Void

• Self-heating substances and mixtures

Void

• Substances and mixtures, which emit flammable gases in contact with water

Void

• Oxidising liquids

Void

• Oxidising solids

Void

(Contd. on page 6)

Information sheet

for articles

Printing date 15.06.2026

Version number 7

Revision: 15.06.2026

Trade name: **VACOFLUX® 48, -50, -50D, VACODUR® 49, -50, -S PLUS, - MAX**

(Contd. of page 5)

- | | |
|---------------------------|------|
| • Organic peroxides | Void |
| • Corrosive to metals | Void |
| • Desensitised explosives | Void |

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions**
Hydrogen is released in contact with acid which can cause explosive gas mixtures.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **LD/LC50 values:**

The following applies for the **pure substances**:

7440-48-4 cobalt		
Oral	LD50	550 mg/kg (rat)
Inhalative	LC50/4 h	mg/l (rat)
siehe zusätzlicher toxikologischer Hinweis / see additional toxicological information		

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation**
Irritation of the eyes in the case of massive direct contact will be mainly due to mechanical effects depending on the grain size.
Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation**
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.
- **Germ cell mutagenicity** Suspected of causing genetic defects.
- **Carcinogenicity** May cause cancer.
- **Reproductive toxicity** May damage fertility.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

Additional toxicological information:

Subsequent users should be aware of the fact that Co-metal fine powder are classified as "acute toxic if inhaled, Category 1" (no legal classification); LC50 4hr ≤0,05 mg/l.
In case the subsequent use of product generates fine Co-metal particles (e.g. dust), protection measures such as described in Chapter 7 and 8 of this information sheet must be applied.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

(Contd. on page 7)

Trade name: **VACOFLUX® 48, -50, -50D, VACODUR® 49, -50, -S PLUS, - MAX**

(Contd. of page 6)

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable
- **vPvB:** Not applicable
- **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:** Alloys in solid form do not pose an ecological threat.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Metals are fully recyclable when correctly separated and processed in specialized recycling facilities.
Do not dispose of in domestic waste or drainage systems. National or regional disposal regulations must be followed.

Recycling process in accordance to Directive 2008/98/EC, Annex II:
R 4 Recycling/reclamation of metals and metal compounds
National or regional disposal regulations must be followed.
- **Uncleaned packaging:** Not applicable

SECTION 14: Transport information

- **Transport/Additional information:**
- **Land transport ADR/RID (cross-border):**
- **Remarks:** Non-hazardous goods from the standpoint of the specified regulations
- **Maritime transport IMDG:**
- **Remarks:** Non-hazardous goods from the standpoint of the specified regulations
- **Air Transport ICAO-TI and IATA-DGR:**
- **Remarks:** Non-hazardous goods from the standpoint of the specified regulations

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 27
- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**
None of the ingredients is listed.
- **REGULATION (EU) 2019/1148**
- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**
None of the ingredients is listed.

(Contd. on page 8)

Information sheet for articles

Printing date 15.06.2026

Version number 7

Revision: 15.06.2026

Trade name: VACOFLUX® 48, -50, -50D, VACODUR® 49, -50, -S PLUS, - MAX

(Contd. of page 7)

• Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

• Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

• Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• National regulations:

• Other regulations, limitations and prohibitive regulations

e.g.

- 1272/2008/EG (CLP)
- 1907/2006/EG (REACH)
- German Hazardous Substances
- TRGS 561 / TRGS 910

• 15.2 Chemical safety assessment: Void (for articles)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Reasons for alterations Inclusion of a new alloy

• Relevant phrases

Wording of the hazard warnings mentioned (Chapter 3) for pure substances:

- H317 May cause an allergic skin reaction.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H341 Suspected of causing genetic defects.
- H350 May cause cancer.
- H351 Suspected of causing cancer.
- H360F May damage fertility.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H413 May cause long lasting harmful effects to aquatic life.

• Department issuing SDS:

Department OPS-C SE
Tel. 06181/38-2045

• Contact:

Environmental Protection Department
Tel. 06181/38-2796

• Date of previous version: 16.10.2025

• Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Resp. Sens. 1: Respiratory sensitisation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
Muta. 2: Germ cell mutagenicity – Category 2
Carc. 1B: Carcinogenicity – Category 1B
Carc. 2: Carcinogenicity – Category 2
Repr. 1B: Reproductive toxicity – Category 1B
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1
Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4

(Contd. on page 9)

Information sheet
for articles

Printing date 15.06.2026

Version number 7

Revision: 15.06.2026

Trade name: **VACOFLUX[®] 48, -50, -50D, VACODUR[®] 49, -50, -S PLUS, - MAX**

(Contd. of page 8)

- **Sources**
 - GESTIS
 - Technische Regeln für Gefahrstoffe
- *** Data compared to the previous version altered.**

E